



EXTENT OF DISEASE
&
SS2018

Changes Include:

- Schema definitions
- EOD Fields
- Code deletions and consolidations
- Summary Stage 2018 (SS2018)

General Changes

- Histology: the new histology codes were added to the valid histology list and appropriate schemas.
- AJCC ID calculation tables were updated.
- Schema Notes and SS2018 notes related to histology were updated as necessary
 - Added: (8104, 8273, 8348, 8349, 8563, 8643, 8816-8818, 8828, 8992, 9126, 9138, 9211-9213, 9222, 9563, 9715, 9749, 9819, 9877-9879, 9912, 9969, 9993)
 - Removed:
 - 8157, which was obsolete and not allowed by edits, was removed.
 - 8444 was removed (see 8313)
 - 8473 was removed (see 8472)
 - 8965 was removed (see 9013)

- Footnotes: the page numbers for all footnotes referencing the AJCC Cancer Staging Manual have had the page numbers removed at the request of the AJCC
- Note: The word '**considered**' was removed from all EOD fields and SSDIs
 - 25 occurrences in various schemas.
 - Some wording was slightly modified to adjust.
- Note: For fields included in the API that are not strictly staging fields (Primary Site, Histology, Behavior, Year of Diagnosis, Regional Nodes Examined, Regional Nodes Positive, LVI, Tumor Size Clin, Path and Summary, RX Summ Surg/Rad Sequence, RX Summ Systemic/Surg Sequence), a note was added to see the SEER Program Coding Manual for instructions.
 - Many of these fields are primarily used for the API calculations, but in case they are used to populate a selection list in a registry application, the rules for coding the fields are found elsewhere.

AJCC 9th Edition

As new Editions for AJCC chapters are released, an additional version of the affected schema will be created. The schemas will have the year of diagnosis as a discriminator.

- **If the value that is sent in for year of diagnosis is 9999 (unknown), the most recent schema will be returned.**
- If you have cases with year of diagnosis = 9999 currently in your database, please give careful thought to how you will handle them.
- For example, for unknown date of diagnosis, you may wish to pass in the year the case was collected/created so the coding rules for that year are applied.
- TNM Edition Number has been added to the AJCC ID calculation table (tag = ajcc_version_number)
- **CERVIX: AJCC released the 9th revision of the Cervix chapter**
 - **There are now 2 Cervix schemas:**
 - Cervix [8th: 2018-2020], Schema ID [#3800] = 00520, Edition = 08
 - Cervix [9th: 2021+], Schema ID = 09520, Edition = 09



SCHEMA CHANGES

Ampulla of Vater

EOD Primary Tumor

- **Code 150**
 - Now contributing L to SS2018 rather than RE
- **Code 700**
 - Added: 'Periduodenal or peripancreatic soft tissue with involvement of structures in codes 500 or 600'
 - Further contiguous extension – still within definition

Appendix

EOD Primary Tumor

- **Notes 1 to 6 were added to the table**
- **Code 600**
 - Added: '(ICD-O-3 codes 8480/3, 8481/3, and 8490/3 only)' after 'Mucinous tumors only' for clarification
- **Code 750**
 - Added: "Mucinous tumors only (ICD-O-3 codes 8480/3, 8481/3, and 8490/3 only)"
 - Added: Sub-bullet "Structures in code 700 with peritoneal involvement confined within right lower quadrant"

EOD Mets

- **Note added to describe when code 70 should be used**
- **Code 40**
 - Added: “Distant lymph nodes, with or without intraperitoneal metastasis”
- **Code 50**
 - Removed: “Distant lymph nodes”
 - Code was streamlined

Bladder

EOD Primary Tumor

- **Note 4** was changed to "In case of multifocal papillary noninvasive tumors (code 000) and in situ tumors (code 050), code 050."
- **Code 000**
 - Revised to clarify use of 000 for 8130/2 and 8131/2 only
- **Code 050**
 - Added: 'Papillary and nonpapillary' to clarify multifocal cancer coding
- **Code 500**
 - Added: '(Clinically or grossly apparent extravesical mass)'
- **Code 550**
 - Added: 'Unknown if microscopic or macroscopic'
- **Code 720**
 - Added: "Bladder is "fixed" with extension to structures in code 650"

EOD Mets

- **Note added to describe when code 70 should be used**
- **Code 10**
 - Changes where made to list specific nodes
- **Code 50 (New Code)**
 - Contains: “With or without distant lymph nodes” and Carcinomatosis
- **Code 70**
 - Changed to: “distant metastasis, NOS”

SS2018

- **Code 0**
 - Revised and expanded to better define Papillary and nonpapillary
 - 'Multifocal non-invasive tumors' was added

Bone Appendicular Skeleton, Bone Pelvis, Bone Spine

EOD Mets

- **Note added to describe when code 70 should be used**
- **Code 30**
 - Added: "With or without lung metastasis"
- **Code 50**
 - Added: "with or without distant lymph nodes or lung metastasis"
 - Added: "Other specified distant metastasis"

Bone Spine

EOD Primary Tumor

- **Code 600**
 - was moved to code 750
- **Code 650**
 - Now contributing RE to SS2018 rather than D

Brain

SS2018

- **Code 2**
 - Changed to start with 'Regional by direct extension only'

Breast

EOD Regional Nodes

- **Note 2 defining Clinical and Pathological assessment was added**
- **Note 6 was added to clarify the meaning of internal mammary nodes**
- **Code 000**
 - Added: 'CLINICAL assessment only'
- **Code 070**
 - Added: 'PATHOLOGICAL assessment only'

Buccal Mucosa, Floor of Mouth, Gum, Lip, Mouth Other, Palate Hard, Tongue Anterior

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarity
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'

Cervical Lymph Nodes and Unknown Primary of Head and Neck

Schema

- **Note 4** was updated to include C000-C002, C006

EOD Regional Nodes

- **Note 2** was added to clarify that 000 does not apply to this schema and coding issues surrounding that
- **Note 3** defining Clinical and Pathological assessment was added
- **Note 5** (supraclavicular) was revised for clarity

EOD Regional Nodes

- **Code 000**
 - Removed, as positive nodes are required for this schema
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'
- **Tumor Size Clinical**
- **Tumor Size Pathological**
- **Tumor Size Summary**
 - For all 3 data items: Default value was changed to 000; this is part of the definition of this schema

SS2018

- **Note 5** were updated to include C000-C002, C006

Cervix

EOD Primary Tumor

- **Code 250**
 - Added: 'FIGO Stage IB1, IB2'

EOD Mets

- **Code 10**
 - Clarified to be 'Inguinal (femoral)'

SS2018:

- **Code 1**
 - Added: FIGO IB1 and IB2
- **Code 3**
 - Added: A section for FIGO IIIC
- **Code 7**
 - Added: 'Femoral' after 'Inguinal'

Colon and Rectum

EOD Primary Tumor

- **Note 5** has bullets for codes 300 and 400 – under the 2nd sub-bullet of those, ‘Upper two thirds of rectum’ was added

EOD Mets

- **Note 1** instructions for code 70 was added
- **Note 2** instructions for coding Peritoneal involvement was added
- **Code 30**
 - Added: ‘Single distant lymph node chain with single distant organ (except peritoneum)’

SS2018

- **Note 6** has bullets for codes Localized and Regional – under the 2nd sub-bullet of those, ‘Upper two thirds of rectum’ was added

Corpus Carcinoma and Carcinosarcoma

AJCC ID

- 8380/2 changed to be 53

EOD Primary Tumor

- **Note 2** describing codes 050, 070 and 080 was added
- **Code 050, 070 and 080**
 - These 3 codes were added to handle 8380/2

SS2018

- **Code 0**
 - Added: 'Endometrial intraepithelial carcinoma (EIC)'
- **Codes 1 and 2**
 - Were restructured
- **Code 3**
 - Added: A section for FIGO Stage IIIC
- **Code 7**
 - Restructured
 - Several sites added to Distant site list

Corpus Sarcoma, Corpus Adenosarcoma

SS2018

- **Codes 1 and 2**
 - Were restructured
- **Code 3**
 - Added: A section for FIGO Stage IIIC
- **Code 7**
 - Restructured
 - Several sites added to Distant site list

Cutaneous Carcinoma of Head and Neck

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarity
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'

Cystic Duct

EOD Primary Tumor

- **Code 600**
 - Added: 'Extrahepatic bile ducts (including common bile duct) with extension to gallbladder or structures in codes 400-500 OR ONE of the following'
- **Code 650**
 - Added: 'Two or more organs and/or structures listed in code 600'

Esophagus and Esophagus Squamous

EOD Primary Tumor

- **Code 700**
 - Added: "Code (500) + (600)"

Fallopian Tube

AJCC ID

- 8441/2 changed to be 55

EOD Primary Tumor

- **Note 2** was added describing codes 050, 070 and 080
- **Note 3** sub-bullet changed to 'Ascites, NOS should be excluded as a staging element'
- **Note 4** was added describing how to handle involvement of ovary
- **Note 5** had bullets added to reference Adjacent peritoneum, Ligaments and Mesosalpinx
- **Note 9** referencing liver and splenic involvement was reworded for clarity

EOD Primary Tumor cont.

- **Code 050**

- Added: (High grade STIC, one tube)

- **Code 070**

- Added: (High grade STIC, both tubes)

- **Code 080**

- Added: (High grade STIC, unknown how many tubes)

- **Code 100**

- STIC removed

- **Code 200**

- Deleted

EOD Primary Tumor cont.

- **Code 250**
 - Removed: “Capsule rupture”
- **Code 450**
 - Code simplified
- **Code 600**
 - Code simplified
 - Now contributing D to SS2018 rather than RE
- **Code 650**
 - Re-organized
- **Code 700**
 - Re-organized
 - Added: “Extensions to liver and splenic capsule”

SS2018

- **Code 0**
 - High-grade serous tubal intraepithelial carcinoma (STIC)' added
- **Code 1**
 - Code restructured
 - Removed: FIGO IC and IC NOS
- **Code 2**
 - Code restructured
 - Several sites added to extension list and text for FIGO IIIA dropped
- **Code 3**
 - A section for FIGO IIIA1 added
- **Code 7**
 - Code restructured
 - Several sites specified for Distant site list
 - FIGO IIIA and IIIA2 added

Floor of Mouth

EOD Primary Tumor

- **Code 600**
 - "Involvement of deep (extrinsic) muscle of tongue with extension to structures listed in Note 2" added

Heart, Mediastinum, and Pleura

EOD Primary Tumor

- **Note 1** added to confirm 000 does not apply to this schema
- **Note 2** added to define multifocal
- **Code 500**
 - Removed: 'Adjacent organs/structures NOS'

HemeRetic

Schema

- **Notes:** Updated with new histologies as well as year limitations where appropriate

EOD Primary Tumor

- **Notes:** Updated with new histologies as well as year limitations where appropriate
- **Note 3**
 - Removed: '9740: Mast cell sarcoma'

SS2018

- **Notes:** Updated with new histologies as well as year limitations where appropriate



Hypopharynx

EOD Primary Tumor

- **Code 700**
 - Added: "Carotid artery (encased) with involvement of the hyoid bone"
- **Code 800**
 - Deleted

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarity
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'

Kidney Parenchyma

EOD Primary Tumor

- **Code 100**
 - Removed: 'Pelvicalyceal system; Renal pelvis or calyces involved; Separate focus of tumor in renal pelvis/calyx' and added to code 200
- **Code 200**
 - Added: 'Pelvicalyceal system; Renal pelvis or calyces involved; Separate focus of tumor in renal pelvis/calyx'

SS2018

- **Code 1**
 - Removed: 'Pelvicalyceal system; Renal pelvis or calyces involved; Separate focus of tumor in renal pelvis/calyx' and added to Code 2
- **Code 2**
 - Added: 'Pelvicalyceal system; Renal pelvis or calyces involved; Separate focus of tumor in renal pelvis/calyx'

Kidney Renal Pelvis

EOD Primary Tumor

- **Note 1** changed to 'In case of multifocal papillary noninvasive tumors (code 000) and nonpapillary in situ tumors (code 050), code 050.'
- **Code 000**
 - Revised to clarify
- **Code 050**
 - 'Papillary and nonpapillary' added to clarify multifocal cancer coding

EOD Regional Nodes

- **Code 200**

- Added: 'SINGLE regional lymph node, size UNKNOWN'

SS2018

- **Code 0**

- Revised to clarify Papillary and Nonpapillary
- Added: 'Multifocal non-invasive tumors'

Lacrimal Gland

EOD Primary Tumor

- **Code 700**
 - Removed: Orbital bone and Periosteum

Larynx Glottic

EOD Primary Tumor

- **Code 250**
 - Re-organized
 - Several sub-bullets were added
- **Code 400**
 - '(Minor erosion)' added to Thyroid Cartilage

SS2018

- **Note 5** added to clarify code 1
- **Code 7**
- '(Encased)' added after Carotid artery

Larynx Other

EOD Primary Tumor

- **Code 200**
 - '(Minor erosion)' added to Thyroid Cartilage

SS2018

- **Note 5** added to clarify code 1
- **Code 7**
 - '(Encased)' added after Carotid artery

Larynx Subglottic

EOD Primary Tumor

- **Code 400**
 - '(Minor erosion)' added to Thyroid Cartilage

SS2018

- **Note 5** added to clarify code 1
- **Code 1**
 - Removed: 'Inner cortex of thyroid cartilage and paraglottic space' and moved to code 2
 - Removed: 'Limited to larynx with vocal code fixation'
- **Code 2**
 - Added: 'Inner cortex of thyroid cartilage and paraglottic space'
- **Code 7**
 - '(Encased)' added after Carotid artery
 - Added: 'Thyroid cartilage (outer cortex, NOS)'

Larynx Supraglottic

EOD Primary Tumor

- **Code 600**

- Added: "Thyroid cartilage (inner cortex) (inner erosion) with extension to structures in code 500"

SS2018

- **Code 7**

- '(Encased)' added after Carotid artery

Larynx Glottic, Larynx Other, Larynx Subglottic, Larynx Supraglottic

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarification
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'

Lip

EOD Primary Tumor

- **Code 700**

- Added: "Invasion through cortical bone with extension to structures in code 600"

Liver

EOD Primary Tumor

- **Code 200**
 - Now contributing RE to SS2018 rather than L

SS2018

Code 1

- Removed: Multiple (satellite) nodules/tumors confined to one lobe and added to code 2

Code 2

- Added: Multiple (satellite) nodules/tumors confined to one lobe

Lung

EOD Primary Tumor

- **Code 500**
 - Added: Diaphragm
- **Code 650**
 - Added: "Code 600 + (100-500)
 - Added: Carina with involvement of any other parts of lung"

EOD Mets

- **Codes 20, 30 and 50**
 - Added to all 3 codes: 'with or without metastasis listed in code 10'

Lymphoma

Schema Notes and SS2018 Notes

- Updated with new histologies as well as year limitations where appropriate

Lymphoma and Lymphoma CLL/SLL

EOD Primary Tumor

- **Notes 11** (Bone Marrow) and **Note 12** (Peripheral blood involvement) were flipped
- **New Note 11** modified to revise and clarify how Peripheral blood involvement should be coded - this affects how one codes Mets at DX - Other [#1117]
- **Codes 100-400, 600, 700, and 800**
 - Re-organized and rephrased
- **Code 750**
 - Added: "Peripheral blood involvement ONLY"

SS2018

- **Codes 1, 2 and 7**
 - Reformatted
- **Code 2**
 - Changed to start with 'Regional by direct extension only'

Lymphoma Ocular Adnexa

EOD Regional Lymph Nodes

- **Code 750**
 - Added

EOD Tumor Size Clinical, Pathological and Summary

- **Valid value list changed from just 999 to be the standard valid value list**

Major Salivary Glands

EOD Primary Tumor

- **Code 500**
 - Added: "Structures in code 400 with spinal accessory nerve involvement"
- **Code 700**
 - Added: "Internal carotid artery or jugular vein with extension to structures in codes 350-500"

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarification
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'

Maxillary Sinus, Nasal Cavity and Ethmoid Sinus

EOD Primary Tumor

- **Code 800**
 - Deleted

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarity
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'

Melanoma Choroid and Ciliary Body

EOD Primary Tumor

- **Note 3** added instructions describing how to code Discrete tumor deposits
- **Code 700**
 - Changed to 'Extraocular extension, NOS, UNKNOWN measurement, WITH or WITHOUT ciliary body involvement'
 - Now contributing RE to SS2018 rather than D

EOD Regional Nodes

- **Code 300**
 - Added: 'With or without discrete tumor nodules in the orbit not contiguous to the eye'
- **Code 500**
 - Deleted

Melanoma Iris

EOD Primary Tumor

- **Note 1** added to warn of infrequency of Iris tumors
- **Note 2** added instructions describing how to code discrete tumor deposits
- **Code 700**
 - Now contributing RE to SS2018 rather than D

EOD Regional Nodes

- **Code 400**
 - Deleted
- **Code 500**
 - Deleted

Melanoma Choroid and Ciliary Body, Melanoma Iris

EOD Mets

- **Note 1** added to define how to code for multiple metastatic site
- **Note 2** added to describe when code 70 should be used
- **Codes 10, 30 and 50**
 - Added: 'Distant lymph node(s) and/or other distant metastasis'
- **Code 70**
 - Revised to match style of codes 10, 30 and 50

SS2018

- **Code 2**
 - Added: 'further contiguous extension' (removed from code 7)
- **Code 7**
 - Removed: 'further contiguous extension' (moved to Code 2)

Melanoma Conjunctiva

EOD Primary Tumor

Note 2: Collapses the clinical and pathological information. Pathological evidence takes priority over clinical evidence, unless the clinical evidence was clearly greater or the patient had neoadjuvant treatment.

- This note was removed (this is a general rule)

Melanoma Head and Neck

EOD Primary Tumor

- **Code 700**
 - Now contributing RE to SS2018 rather than D

Melanoma Skin

AJCC ID

- C500 was changed to derive XX rather than 47
 - Will update automatically when the calculation is run across the database

EOD Primary Tumor

- **Note 4** revised to include specific Level in Code descriptions

EOD Regional Nodes

- **Note 2** added to describe criteria for coding
- **Codes 100, 400, 600**
 - Removed: 'Detected by SLN biopsy' (this is an example, not the sole method)

Merkel Cell Skin

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** describing bilateral and contralateral nodes was removed
- **Note 5** describing contiguous or secondary nodal basins was removed and restructured to include Note 6
- **(new) Note 5** sub-bullet now includes Bilateral or Contralateral lymph nodes, Section for Skin of Trunk (C445) has been removed

EOD Mets

- Note added to describe when code 70 should be used

Middle Ear, Pharynx Other, Sinus Other

EOD Primary Tumor

- **Code 800**
 - Deleted

NET Adrenal Gland

EOD Mets

- **Note 1** added to clarify that code 50 requires Bone and another mets site while code 30 is for non-bone multiple mets
- **Note 2** added to define when code 70 should be used
- **Code 30**
 - **Added:** 'other specified distant metastasis, carcinomatosis, and with or without distant lymph node(s)'
- **Code 50**
 - **Changed:** "Bone with at least one of distant lymph nodes, liver, lung or other specified metastasis"

NET Ampulla of Vater, NET Appendix, NET Colon and Rectum, NET Duodenum, NET Jejunum and Ileum, NET Stomach

EOD Mets

Note 1 added to clarify that code 50 requires Liver and another mets site while code 30 is for non-liver multiple mets

Note 2 added to define when code 70 should be used

Code 10 was expanded to 'Liver (including liver parenchymal nodule(s))'

Code 30

- Extrahepatic site was standardized for clarification
- Added: 'Other specified distant metastasis (except liver)' and 'Carcinomatosis'

Code 50 standardized for clarification to Liver WITH other distant metastasis, (10) + (other codes)



NET Pancreas

EOD Regional Nodes

- **Code 300**
 - Revised to include Site codes also,
 - Added: A section for C253-C259

EOD Mets

- **Note 4** added to clarify the use of code 60 and code 30
- **Note 5** added to define when code 70 should be used
- **Code 10**
 - Expanded to 'Liver (including liver parenchymal nodule(s))'
- **Code 40**
 - Added: Sections for C251-C252 and all sites added
 - Nodes for C250 were re-organized
- **Code 50**
 - Extrahepatic site was standardized for clarification
 - Added: 'Other specified distant metastasis (except liver)' and 'Carcinomatosis'
- **Code 60**
 - Standardized for clarification to Liver WITH other distant metastasis, (10) + (other codes)



NET Stomach

EOD Mets

- **Codes 20 and 30**
 - These 2 codes were flipped so that Code 20 is Distant Lymph Nodes



Oropharynx HPV-Mediated (p16+)

EOD Primary Tumor

- **Code 400**
 - Added: "Or other structures in code 200"

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarity



Oropharynx p16-

EOD Primary Tumor

- **Code 400**
 - Added: "or other structures in code 200"
- **Code 700**
 - Added: "Prevertebral fascia/muscle with extension to structure in code 550"

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Note 4** (supraclavicular) was revised for clarity
- **Codes 100, 200-400**
 - Removed: 'CLINICAL OR PATHOLOGICAL'



Ovary

AJCC ID

8441/2 changed to be 55

EOD Primary Tumor

Note 2 added to describe Code 050

Note 3 sub-bullet modified to exclude Ascites NOS

Note 4 added to clarify how to code involvement of fallopian tube

Note 9 was revised to clarify how to handle liver and splenic capsule involvement



- **Code 050**
 - (Serous EIC) was added
- **Code 450**
 - Simplified with a reference to Note 5
- **Code 600**
 - Now contributing D to SS2018 rather than RE
 - Modified to refer to Note 8
- **Code 650**
 - Modified to refer to Note 8
- **Code 700**
 - Modified to include liver and splenic capsule involvement
 - Modified to refer to Note 8



Ovary, Fallopian Tube, Primary Peritoneal Carcinoma

SS2018

- **Code 0**
 - Added: 'High-grade serous tubal intraepithelial carcinoma (STIC)'
- **Codes 1**
 - Restructured
- **Code 2**
 - Restructured
 - Added: Corpus uteri and Pelvic wall sites to extension list
 - Removed: text for FIGO IIIA
- **Code 3**
 - Added: Section for FIGO IIIA1
- **Code 7**
 - Restructured
 - Added: Sites specified for Distant site list
 - Added: FIGO IIIA and IIIA2



Pancreas

EOD Regional Nodes

- **Code 700**
 - Text expanded to clarify which site codes can use this code

EOD Mets

- **Code 10**
 - Added note clarifying how Celiac should be coded for C251-C259
- **Code 20**
 - Added sections for C251-C252 and all sites
 - Nodes for C250 were re-organized



Pancreas, NET Pancreas

EOD Regional Nodes

- **Code 300**
 - Expanded to include Site code
 - Added a section for C253-C259
 - Pancreas Head, Pyloric entries were combined

SS2018

- **Code 3**
 - Added: A section for C253-C259 nodes
- **Code 7**
 - Added Portal vein and Lateral wall (right) to Distant lymph nodes of C251-C252
 - Nodes for C250 restructured



Penis

EOD Primary Tumor

- **Code 070**
 - Added: '(ICD-O-3 code 9051/3 only)'

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added



Placenta

EOD Mets

- **Note 2** added to define when code 70 should be used
- **Code 30**
 - Added: 'With or without lung metastasis'

SS2018

- **Code 1**
 - Restructured
- **Code 2**
 - Restructured
- **Code 7**
 - Restructured
 - Added: FIGO III and IV specifically



Plasma Cell Disorders

EOD Primary Tumor

- **Note 4** added clarifying how to code multiple lesions
- **Code 500**
 - Deleted

EOD Regional Nodes

- **Code 800**
 - Now contributing RN to SS2018 rather than NA



Plasma Cell Myeloma, Plasma Cell Disorders

SS2018

- **Code 7**
 - Restructured



Primary Cutaneous Lymphoma

EOD Primary Tumor

- **Code 700**
 - Added: 'UNKNOWN if contiguous or discontinuous'

EOD Regional Nodes

- **Code 500**
 - 'Cenowal' corrected as 'Central'

SS2018

- **Code 3**
 - 'Cenowal' corrected as 'Central'



Primary Peritoneal Carcinoma

EOD Primary Tumor

- **Note 4** organ list modified and some entries were added
- **Note 7** was revised to clarify how to handle liver and splenic capsule involvement
- **Code 450**
 - Simplified with a reference to Note 4 added
- **Code 600**
 - Now contributing D to SS2018 rather than RE
 - Modified to refer to Note 6
- **Code 650**
 - Modified to refer to Note 6
- **Code 700**
 - Modified to include liver and splenic capsule involvement



Prostate

Prostate Pathologic Extension [#3919]

- Renamed to be 'EOD Prostate Pathologic Extension'
- Data item tag changed to eod_prostate_path_extension

EOD Primary Tumor

- **Note 3** sub-bullet 3 was revised to disallow imaging findings

EOD Mets

- **Note** added to define when code 70 should be used
- **Code 50**
 - Wording was re-organized
 - Clarified 'specified' distant mets

SS2018

- **Note 4** was revised to include 'with no other evidence of lymph node involvement or distant metastatic involvement'
- **Note 5** was revised to exclude imaging



Retinoblastoma

EOD Primary Tumor

- **Note 2** defining Clinical and Pathological assessment was added
- **Codes 300 and 550**
 - Removed: 'CLINICAL OR PATHOLOGICAL'



Soft Tissue Abdomen and Thoracic

EOD Primary Tumor

- **Note 2** added to define multifocal
- **Code 500**
 - Removed: 'Adjacent organ(s)/Structure(s), NOS'



Testis

EOD Primary Tumor

- **Note 1** about Pathological assessment was revised for clarity
- **Note 2** about definition of Pure seminomas was added
- **Code 100 and 150**
 - Added: '(ICD-O-3 code 9061/3 only)'

EOD Regional Nodes

- **Note 2** defining Clinical and Pathological assessment was added
- **Codes 000 and 600**
 - Removed: 'CLINICAL OR PATHOLOGICAL'

EOD Mets

- **Note 2** added to define when code 70 should be used
- **Code 60**
 - Re-organized



Thymus

EOD Primary Tumor

- **Code 100**
 - Added: 'OR Extending into the mediastinal fat'
- **Codes 100 and 200**
 - Added: Clarification to indicate 'mediastinal pleura/pleura involvement' between the two codes
- **Code 300**
 - Now contributing L to SS2018 rather than RE



EOD Mets

- Note added to define when code 70 should be used
- **Code 30**
 - Added: 'With or without separate pleural or pericardial nodule(s)'
- **Code 50**
 - Streamlined
 - Added: 'Other specified distant mets'



Thyroid, Thyroid Medullary

EOD Mets

- **Code 10**
 - Bullets were added for Mediastinal and Distant LN NOS



Urethra, Urethra Prostatic

EOD Primary Tumor

- **Note** was added "In case of multifocal papillary noninvasive tumors (code 000) and nonpapillary in situ tumors (code 050), code 050."
- **Code 000**
 - Revised to clarify use of 000 for 8130/2 and 8131/2 only
- **Code 050**
 - Added: 'Papillary and nonpapillary' to clarify multifocal cancer coding

SS2018

- **Code 0**
 - Revised to clarify Papillary and Nonpapillary
 - Added: 'Multifocal non-invasive tumors'



Vagina

SS2018:

- **Codes 1, 2 and 7**
 - All 3 codes were restructured
- **Code 3**
 - Added a section for FIGO III localized tumor with regional lymph node involvement



Vulva

EOD Primary Tumor

- **Code 100**
 - Added: “Invasive carcinoma being confined” to the classification
- **Code 150**
 - Moved: “Invasive carcinoma being confined” to classification to Code 100
 - Added: ‘Confined to vulva, NOS’
- **Codes 100, 150 and 300**
 - Added: 'UNKNOWN or NO perineum involvement' to the Vulva only section

SS2018

- **All codes restructured**
- **Code 3**
 - Added: A section for FIGO III and IVA localized tumor with regional lymph node involvement



Please Note:

SEER*RSA 2.0 is available but should not be used until the 2020 reporting year submissions are complete.

To download a specific manual, please go to the specified website:

<https://seer.cancer.gov/tools/staging/>

List of Changes:

<https://staging.seer.cancer.gov/eod/news/2.0/>



Questions?

Shelly Gray

QA Manager of Abstracting and Training

Kentucky Cancer Registry

e-mail: michelle.gray@uky.edu

Phone: 859-218-1801

