

# EOD/Summary Staging 2018 Clarifications

---

2018 KCR SPRING TRAINING

TONYA BRANDENBURG

## In situ with Nodal or Other Mets

---

Code to regional nodes or distant mets as appropriate

For AJCC 8<sup>th</sup> edition this would be an unknown stage, but the patient would receive a Summary Stage 2018 based on any regional or distant mets

## Lobular Carcinoma Insitu (LCIS)

---

LCIS is AJCC unstageable, but is still reportable and as of right now can be given EOD staging and a Summary Stage 2018 of in situ

Registries will still collect these cases

## Nasopharynx

---

### EOD Regional Nodes

- If it is unknown if regional nodes are unilateral or bilateral, treat them as unilateral nodes
- Per Note 2 of SEER RSA: If laterality of lymph nodes is not specified, assume nodes are ipsilateral. Midline nodes are considered ipsilateral.

# Melanoma

---

## Melanoma – Iris

- EOD Mets - based on size of distant mets

## Melanoma – Choroid and Ciliary Body

- EOD Mets – based on size of distant mets

Please keep the presentation from the SEER Advanced Workshop in New Orleans that shows what is needed to collect EOD Primary Tumor, EOD Regional Nodes, and EOD Mets as a reference

# Questions

---